

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	10025	@ad<"20020927" and (near-field ("near" adj field))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 14:03
L3	10	2 and ((select\$3 adjust \$3 configur\$3 reconfigur \$3 re-configur\$3 chang \$3) near2 (data near2 (size rate)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 14:04
L4	42	@ad<"20020927" and 455/40-41.3.ccls. and serial near (data stream)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 14:13
L5	10	4 and conductor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 14:13
L6	40	"539551"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 15:00
L7	2	("5133417").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/16 15:00
L8	3	@ad<"20020927" and 455/40-41.3.ccls. and (chang\$3 adjust\$3) near2 (data baud) near rate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 15:05

L11	4	4 and retransmi\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 15:09
L12	0	@ad<"20020927" and 455/40-41.3.ccls. and ((chang\$3 adjust\$3 select \$3) near2 (data baud) near rate) near10 ((condition characteristic temperature quality) near2 conductor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 15:31
L13	0	@ad<"20020927" and ((chang\$3 adjust\$3 select \$3) near2 (data baud) near rate) near10 ((condition characteristic temperature quality) near2 conductor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 15:32
L14	0	@ad<"20020927" and ((chang\$3 adjust\$3 select \$3) near2 (data baud) near rate) same ((condition characteristic temperature quality) near2 conductor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 15:32
L15	48	@ad<"20020927" and ((chang\$3 adjust\$3 select \$3) near2 (data baud) near rate) same conductor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 15:32
L16	0	@ad<"20020927" and ((chang\$3 adjust\$3 select \$3) near2 (data baud) near rate) near10 ((condition characteristic temperature quality) near2 antenna)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 15:33
L17	4	@ad<"20020927" and ((chang\$3 adjust\$3 select \$3) near2 (data baud) near rate) near10 ((condition characteristic temperature quality) near2 path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 15:33

L18	653	@ad<"20020927" and inductive near transmission	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 15:45
L19	29	@ad<"20020927" and ((chang\$3 adjust\$3 select \$3) near2 (data baud) near rate) near10 ((condition characteristic temperature quality) near2 (link path))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 16:05
L20	10	19 and retransmi\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 16:06
L21	2	19 and (request\$3 near3 retransmi\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 16:08
L22	90	@ad<"20020927" and 455/40-41.3.ccls. and (two-way bidirectional) near communication	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 16:09
L23	9	22 and (near-field "near field")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 16:09
L24	1	23 and retransmi\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 16:11
S1	1	10/674877	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/22 15:12

S2	195	@ad<"20020927" and ((adjust\$3 chang\$3) near4 ((data transmission) adj rate) near5 (quality BER (bit adj error adj rate) SNR SIR))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 10:09
S3	50	S2 and "455"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 10:09
S4	1	S3 and ("near" adj field) short-range (short adj range) near-field)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 10:11
S5	1	S3 and ("near field" short-range (short adj range) near-field)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 10:11
S6	1556	@ad<"20020927" and (conductor adj array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 10:12
S7	2	("4707573").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/24 10:23
S8	47	@ad<"20020927" and ((radiat\$3 leaky) near cable) and broadband and digital	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 10:25
S9	0	S8 and rotary	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 10:26

S10	12	@ad<"20020927" and ((radiat\$3 leaky) adj cable) and broadband and digital	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 10:34
S11	0	@ad<"20020927" and ((radiat\$3 leaky) adj cable) same bluetooth	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 10:38
S12	1	@ad<"20020927" and ((radiat\$3 leaky) adj cable) and bluetooth	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 10:38
S13	111	@ad<"20020927" and (broadband and (near-field "near field")).bsum.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 10:39
S14	57	S13 and antenna.bsum.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 10:40
S15	3	S14 and (bluetooth piconet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 10:41
S16	4	S13 and (bluetooth piconet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 10:42
S17	4	S16 and antenna	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 10:44

S18	26	@ad<"20020927" and ((adjust\$3 chang\$3) near4 ((data transmission) adj rate) near5 (quality BER (bit adj error adj rate) SNR SIR)) same (base adj station)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 11:18
S19	0	S18 and (low adj power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 11:20
S20	0	S18 and (bluetooth piconet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 11:22
S21	4	S2 and (bluetooth piconet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 11:22
S22	0	S2 and ((leaky radiat\$3) adj cable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 11:25
S23	0	S2 and (long adj antenna)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 11:25
S24	5	S2 and (low adj power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 11:25
S25	4	@ad<"20020927" and ((leaky radiat\$3) adj cable) and ((adjust\$3 chang\$3 lower\$3 increas\$3 decreas\$3) near4 ((data transmission) adj rate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 11:33

S26	10	((("5465395") or ("4428078") or ("5230085") or ("4835604"))).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/24 13:18
S27	10	((("5465395") or ("4428078") or ("5230085") or ("4835604"))).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/29 16:31
S28	2	S27 and retransmi\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 16:31
S29	26	@ad<"20020927" and ((adjust\$3 chang\$3) near4 ((data transmission) adj rate) near5 (quality BER (bit adj error adj rate) SNR SIR)) same (base adj station)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 16:31
S30	16	S29 and retransmi\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 16:31
S31	3	S30 and adapt\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 17:14
S32	1	S31 and dynamically	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 17:14
S34	1	S31 and S32	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 17:15

3/16/2009 5:07:01 PM

**C:\ Documents and Settings\ zlu\ My Documents\ EAST\ Workspaces\ 10674877.wsp**